



Handmade In & Imported From Wisconsin, USA





Clean in hard to reach areas with this small-footprint walk behind floor scrubber. Especially agile and quiet for congested areas.

- Up to 40,000 sqft Per Charge
- 12 / 15 Gallons
- 17 20 inch decks

### **Applications**

- Fabrication Shops
- Auto-Truck Dealers
- Machine Shops



Additional productivity and capacity on a mid-sized walk behind scrubber. Pass easily through small doorways or elevators, with this versatile and durable platform.

- Up to 70,000 sqft Per Charge
- 16 / 16 Gallons
- 20 28 inch decks

## **Applications**

- Warehouses
- Plastic Molding
- Food Processing & Packaging



Reduce your time and labor cost to clean with this larger walk behind scrubber. Clean large areas simply and with predictable results while retaining medium sized footprint.

- Up to 110,000 sqft Per Charge
- 19 / 19 Gallons
- 24 28 inch decks

### **Applications**

- Aviation
- Food Processing & Packaging
- Warehouses





Our maximum capacity and run time built with tough daily use and productivity in mind. Retains manageable footprint with excellent lines of sight for all operators.


- Up to 128,000 sqft Per Charge
- 25 / 26 Gallons
- 24 32 inch decks

### **Applications**


- Beverage Distribution
- Powder & Bulk
- Aviation







Specifications and features subject to change without notice.



# Disk

### **Benefits**

- Brush / Pad Selection
- Lowest Maintenance Cost
- Improved Cleaning on Irregular Floors
- Brushes Individually Driven for Unmatched Performance




# Grout

### **Benefits**

- Ideal for Grouted Tile Floors
- Compact for Maneuverability
- Single Brush Simplicity
- Suitable for Rubber Athletic Floors


\*Only available on K12, no Debris Hopper.



# **Orbital**

### **Benefits**

- Restore Dull Epoxy
- Reduce Slip & Fall Potential
- 70% Reduction in Water Usage
- Consistent Results No Swirl Marks
- VCT Prep & Recoat



# **Cylindrical**

### **Benefits**

- Eliminates Dust Mopping
- Scrub & Sweep Simultaneously
- Superior Tile & Grout Cleaning
- Excellent on Rubber Surfaces
- Great for Warehouse Debris
  \*Only available on K16, K19, & K25







#### PICK THE OPTIONS



Drain Savers & Deluxe Fill Options Conveniently fill the floor scrubber fresh water tank from any standard faucet with the 60 inch retractable hose.




**Onboard Charger** 

Charge anywhere in the facility with a plug and forget charger. LED Indicator lights shows state of charge and historic charge cycle data can be downloaded for review.



### **WET / AGM Battery Options**

Choose between a variety of battery options for optimal run and charge times based on the application and needs.



### **Squeegee Blade Variations**


Different applications require different squeegee material to get the job done.

- Gum Rubber
- Urethane
- Linatex®

### PICK THE BRUSH

- Nylon: White / Light Soft
- (2)\* Polypropylene: Black / Medium Light
- (3) Light Grit: Grey / Medium
- (4) Midi Grit: Blue / Rough
- (5)\* Tough Grit: Black / Very Rough
- 6 Tufted Pad Driver: Red / Variety Pads

\*Not offered on Cylindrical Brushes



### **Automotive**



Car dealerships often need to clean delicate showrooms as well as high traffic service areas. Our cleaning equipment has excellent visibility for the operator, rubber bumpers and a heavy duty build to operate around car lifts. Our simple controls and off the shelf marine duty switches allow for multiple operators and simple repairs.

### Warehouse



Our cylindrical scrubbers are popular with warehouse, logistics and distribution centers due to their ability to wet sweep up small items as they scrub the dusty floors. A single machine making a single pass is convenient and easy to operate over small wood pallet chips, nails, dirt and other common debris.

# Food & Beverage



Companies that produce, package or distribute food and beverage products have a high standard for cleanliness. Our designs are ideal for daily use and have many hand tools available for off aisle cleaning. The recovery tanks have clean-out ports for easy disposal and cleanup of the dirty water.

# Manufacturing



As a manufacturer ourselves, our company has a good understanding of the unique needs from companies that produce products. Cutting, bending, welding, grinding, and painting metals can generate a regular need to clean. Our equipment quickly cleans up the aftermath of processing a variety of materials like steel, plastics, wood and more.



4 L

Up to 2 Hours\*

20,000 sqft/hr\*

9,500 sqft/hr\*

882 sqm/hr\*

1,858 sqm/hr\*





14,857 sqft/hr\*



Disk Scrub Path:	17 & 20 in 43 & 51 cm	Disk Scrub Path:	20, 26 & 28 in 51, 66 & 71 cm	Disk Scrub Path:	26 & 28 in 66 & 71 cm	Disk Scrub Path:	28 & 32 ir
Grout Path:	24 in 61 cm	Cylindrical Path:	26 in 66 cm	Cylindrical Path:	26 in 66 cm	Cylindrical Path:	26 & 30 ii 66 & 76 cm
Orbital Path:	20 & 24 in 51 & 61 cm	Orbital Path:	24 & 28 in 61 & 71 cm	Orbital Path:	24 & 28 in 61 & 71 cm	Orbital Path:	24 & 28 61 & 71 cm
Dimensions (L×W×H): *Dimensions listed are for the largest width deck configuration and squeegees removed from the machine.	49.5 × 22.5 × 38 in* 125 × 64 × 96 cm*	Dimensions (L×W×H): *Dimensions listed are for the largest width deck configuration and squeegees removed from the machine.	53 × 29 × 38.5 in* 135 × 74 × 98 cm*	Dimensions (L×W×H): *Dimensions listed are for the largest width deck configuration and squeegees removed from the machine.	53 × 29 × 38.5 in* 135 × 74 × 98 cm*	Dimensions (L×W×H):  *Dimensions listed are for the largest width deck configuration and squeegees removed from the machine.	62 × 33 >
Solution Tank:	<b>12 Gal</b> 45 L	Solution Tank:	16 Gal 60 L	Solution Tank:	19 Gal 72 L	Solution Tank:	25 Gal 95 L
Recovery Tank:	15 Gal 57 L	Recovery Tank:	16 Gal 60 L	Recovery Tank:	19 Gal 72 L	Recovery Tank:	26 Gal 98 L
Demisting Chamber:	1 Gal	Demisting Chamber:	1 Gal	Demisting Chamber:	1 Gal	Demisting Chamber:	2 Gal

4 L

Up to 2.5 Hours\*

28,000 sqft/hr\*

12,800 sqft/hr\*

2,601 sqm/hr\*

1,189 sqm/hr\*

Run Time:

\*Based on continuous scrubbing run times, standard batteries, low down pressure and all options off.

Theoretical Coverage:

\*Coverage is based off of ISSA 2010 Cleaning Times

\*Coverage is based off of ISSA 2010 Cleaning Times

Practical Coverage:

K25	
Disk Scrub Path:	28 & 32 in 71 & 81 cm
Cylindrical Path:	26 & 30 in 66 & 76 cm
Orbital Path:	24 & 28 in 61 & 71 cm
Dimensions (L×W×H): *Dimensions listed are for the largest width deck configuration and squeegees removed from the machine.	62 × 33 × 39.5 in* 157 × 84 × 100 cm*
Solution Tank:	<b>25 Gal</b> 95 L
Recovery Tank:	<b>26 Gal</b> <i>98 L</i>
Demisting Chamber:	2 Gal 9 L
Run Time:  *Based on continuous scrubbing run times, standard batteries, low down pressure and all options off.	Up to 4 Hours*
Theoretical Coverage:	32,000 sqft/hr*
	Disk Scrub Path:  Cylindrical Path:  Orbital Path:  Dimensions (L×W×H):  'Dimensions listed are for the largest width deck configuration and squeegees removed from the machine.  Solution Tank:  Recovery Tank:  Demisting Chamber:  Run Time:  'Based on continuous scrubbing run times, standard

Specifications and features subject to change without notice.

Practical Coverage:

\*Coverage is based off of ISSA 2010 Cleaning Times

Run Time:

\*Based on continuous scrubbing run times, standard batteries, low down pressure and all options off.

Practical Coverage:

Theoretical Coverage: 31,428 sqft/hr\*

\*Coverage is based off of ISSA 2010 Cleaning Times 2,919 sqm/hr\*

\*Coverage is based off of ISSA 2010 Cleaning Times 1,380 sqm/hr\*

Run Time:

\*Based on continuous scrubbing run times, standard batteries, low down pressure and all options off.

Theoretical Coverage:


\*Coverage is based off of ISSA 2010 Cleaning Times

\*Coverage is based off of ISSA 2010 Cleaning Times

Practical Coverage:


15,000 sqft/hr\*


1,393 sqm/charge\*




RPS "through bolts" these assemblies to the steel frame, not the tanks. No tapped steel that could rust in time.













We produce heavy duty equipment and require a good amount of thick steel in the construction. We use a combination of Stainless 304 (Austenitic 18/8) and mild steel with e-coating + powder paint for corrosion resistance. Steel fabrication is done in-house or from local suppliers with specialty equipment.



Complex shapes that allow for our tank designs are best achieved with in-house equipment. We own multiple dual station rotational molding machines that allow us to produce finished parts from raw plastic. Producing consistently higher quality parts, and respond quickly to sales spikes.



Our team has designed and engineered over 100 unique machines. Each new generation of machines evolve from prior designs to retain the strengths and correct any weakness. From the first pencil sketch we focus on durability, serviceability, performance, productivity, specifications, and value.