

KÄRCHER

makes a difference



CLEANING TECHNOLOGY THAT REALLY TAKES THE HEAT.

Cold-water cabinet that accepts pre-heated water.

HD Cabinet - Belt Drive



Industrial throughout.

Our cold-water cabinet units really take the heat, accepting pre-heated water up to 180°F. Protected in durable steel cabinets, they demonstrate industrial strength throughout, including belt-drive Kärcher crankcase pumps, industrial motors, and magnetic starters for operator safety.



1 Wheel kit

- Wheel kit with detergent rack and optional hose reel.



2 Floor stand

- Floor stand with caster wheels.



3 EASY!Force trigger gun

- EASY!Force trigger gun with cruise control like technology uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use.

Technical data and equipment.

TECHNICAL DATA

Model	Part No.	GPM	PSI	Drive	HP	Electrical	Amps	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HD 2.8/10 ST Ed B	1.575-300.0	2.8	1000	Belt	2	120V / 1ph	20	Kärcher KM	210	31 x 21 x 16
HD 4.2/20 ST Ea B	1.575-301.0	4.2	2000	Belt	6	230V / 1ph	29	Kärcher KM	285	31 x 21 x 16
HD 4.2/20 ST Eb B	1.575-302.0	4.2	2000	Belt	6	230V / 3ph	22	Kärcher KM	255	31 x 21 x 16
HD 4.2/20 ST Ec B	1.575-303.0	4.2	2000	Belt	6	460V / 3ph	11	Kärcher KM	260	31 x 21 x 16
HD 4.2/20 ST Eh B	1.575-305.0	4.2	2000	Belt	6	208V / 3ph	16	Kärcher KM	265	31 x 21 x 16
HD 3.5/30 ST Ea B	1.575-306.0	3.5	3000	Belt	7.5	230V / 1ph	36	Kärcher KM	330	31 x 21 x 16
HD 3.5/30 ST Eb B	1.575-307.0	3.5	3000	Belt	7.5	230V / 3ph	19	Kärcher KM	275	31 x 21 x 16
HD 3.5/30 ST Ec B	1.575-308.0	3.5	3000	Belt	7.5	460V / 3ph	11	Kärcher KM	270	31 x 21 x 16
HD 3.5/30 ST Eg B	1.575-309.0	3.5	3000	Belt	7.5	208V / 1ph	38	Kärcher KM	332	31 x 21 x 16
HD 3.5/30 ST Eh B	1.575-310.0	3.5	3000	Belt	7.5	208V / 3ph	23	Kärcher KM	271	31 x 21 x 16

ACCESSORIES

Order No.	Description
■ 8.756-481.0 ■	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.
■ 9.801-013.0	Hour Meter (factory included)

OPTIONS (FACTORY INSTALLED)

Order No.	Description
<input type="checkbox"/> 9.801-002.0	Conversion to Stainless Steel Cabinet
<input type="checkbox"/> 8.903-045.0	Kit Time Delay Shutdown, 120V, 1ph
<input type="checkbox"/> 8.929-374.0	Kit Time Delay Shutdown, 208/230V, 1ph
<input type="checkbox"/> 8.903-041.0	Kit Time Delay Shutdown, 3ph
<input type="checkbox"/> 8.929-376.0	Kit Auto Start/Stop, 120V, 1ph
<input type="checkbox"/> 8.929-377.0	Kit Auto Start/Stop, 208/230V, 1ph
<input type="checkbox"/> 8.903-047.0	Kit Auto Start/Stop, 3ph

OPTIONS (FIELD INSTALLED)

Order No.	Description
<input type="checkbox"/> 9.801-031.0	Wheel Kit with Detergent Rack
<input type="checkbox"/> 9.801-033.0	Wall Mount Kit
<input type="checkbox"/> 8.903-043.0	Stainless Steel Wall Mount Kit
<input type="checkbox"/> 8.903-040.0	Floor Stand, 24" short
<input type="checkbox"/> 9.801-034.0	Floor Stand, 36" Tall
<input type="checkbox"/> 8.903-617.0	Stainless Steel Floor Stand, 36" Tall

■ Included Optional ■ Not compatible with EASY!Lock

OPTIONS (FIELD INSTALLED)

Order No.	Description
<input type="checkbox"/> 8.941-546.0	Stainless Steel Floor Stand, without Hose Hanger
<input type="checkbox"/> 9.801-035.0	Caster Wheels for Floor Stand
<input type="checkbox"/> 9.801-036.0*	Hose Reel Kit, Floor Stand Only, 100 ft, No Hose
<input type="checkbox"/> 8.750-682.0*	100' x 3/8" fixed base hose reel
<input type="checkbox"/> 8.919-437.0*	Wall Mount
<input type="checkbox"/> 8.903-039.0*	Kit, Hose Reel w/Bracket for Stand, Wall Mount Kits

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Phone 888-805-9852

Fax 800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive
Mississauga, ON L5T 2W9
Canada

Phone 888-705-9444

Fax 905-672-3155

www.karcher.ca