


makes a difference









POWERFUL, USER-FRIENDLY AND FUEL-EFFICIENT.

The exceptional HDS Super Class hot water pressure washer.

HDS SUPER CLASS



Full-size power.

The perfect hot water pressure washer for car dealers, building service contractors, agriculture and municipal use. The super class hot water pressure washers offer optimum cleaning performance, easy handling and the latest technology.























1 Efficiency

- ecolefficiency mode economical and environmentally friendly, even during longer periods of use.
- Reduces fuel consumption and CO2 emissions by 20%.

2 EASY!Force trigger gun

■ EASY!Force technology holds the trigger down once you start it, avoiding the strain on your hands associated with other trigger guns.

3 Service switch

Service switch offers a choice of five settings to suit local water hardness. This allows optimum metered quantities of anti-scaler and corrosion inhibitor to be added to the water supply, and prevents the buildup of lime scale on the heater coil. Operating data can be called up at any time, allowing you to make continual adjustments.

4 Time-proven burner technology with new turbo fan

Kärcher burner technology not only translates to more economical operation, but also makes our hot water pressure washers trendsetters in environmental protection thanks to their low emissions and highly efficient operation.

Technical data and equipment.

| HDS SUPER CLASS TECHNICAL DATA | | | | | | | | | | | |
|--------------------------------|-------------|---------|----------|--------|----|----------------|------|---------------|-------------------|---------------------------------------|--|
| Model | Part No. | GPM | PSI | Drive | НР | Electrical | Amps | Pump | Ship Weight (lbs) | Ship Dimensions (L x W x H) Inches | |
| HDS 5.0/30-4S Eb | 1.071-919.0 | 2.4-5.0 | 460-3000 | Direct | 11 | 208-240V / 3ph | 27 | Kärcher Axial | 516 | 51 x 32 x 45 | |
| HDS 5.0/30-4S Ec | 1.071-920.0 | 2.4-5.0 | 460-3000 | Direct | 11 | 460-480V / 3ph | 15 | Kärcher Axial | 516 | 51 x 32 x 45 | |

| HDS 5.0/30-4S Eb | 1.071-919.0 | 2.4-5.0 | 460-3000 | Direct | 11 | 208-240V / 3ph | 27 | Kärcher Axial | 516 | 51 x 32 x 45 |
|-----------------------------|--|---------|----------|--------|----|----------------|----|---------------|-----|--------------|
| HDS 5.0/30-4S Ec | 1.071-920.0 | 2.4-5.0 | 460-3000 | Direct | 11 | 460-480V / 3ph | 15 | Kärcher Axial | 516 | 51 x 32 x 45 |
| | | | | | | | | | | |
| HDS SUPER CLASS ACCESSORIES | | | | | | | | | | |
| Order No. | Description | | | | | | | | | |
| 4 .118-005.0 | EASY!Force trigger gun (German model) - zero force required. | | | | | | | | | |
| ■ 4.112-000.0 | 41" spray lance | | | | | | | | | |
| ■ 6.110-029.0 | 50' EASY!Lock Longlife hose with ANT!!Twist connection | | | | | | | | | |
| 2.113-012.0 | Power nozzle, 062 (for machine 1.071-908.0) | | | | | | | | | |
| □ 4.111-041.0 | Adapter for EASY!Force trigger gun connecting to 3/8" hose | | | | | | | | | |
| □ 4.118-009.0 | Servo control | | | | | | | | | |
| □ 8.750-685.0 | 100' pivot reel | | | | | | | | | |
| □ 8.921-775.0 | Hose reel bracket (complete with Easy!Lock adapter, street elbow and 6' jumper hose) | | | | | | | | | |

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way Aurora, CO 80019 U.S.A.

Phone 888-805-9852 Fax 800-248-8409

www.karcher.com/us